

The Revolutionary Dimplex Linear Convector





Heat that fits.

# The smallest, smartest heater for your home!

## The new LC Series linear convectors redefine home comfort.

**Smart design** – inside and out – reveals a more compact, better performing heater that also gives you maximum floor plan flexibility.

These contoured convectors come in lengths from 20" to 60" (including a wattage range of 500W to 2500W) to accommodate any home or renovation. All sizes are designed for use with a wall or top-mounted built-in thermostat (sold separately).



Enjoy heat that fits with compact LC Series heaters!



## Enjoy more wall space than ever before

LC Series convectors are up to
42% smaller than conventional
baseboard heaters, so you have more
flexibility with furniture placement
than ever before. Plus, the contoured
design and slim profile suit any décor
and minimize intrusion.

Wattage	Traditional Baseboards	LC Series	Reduction
500	28.5"	20"	30%
750	38.5"	25"	35%
1000	49"	30"	39%
1250	56"	35"	38%
1500	67"	40"	40%
2000	85"	50"	41%
2500	103"	60"	42%

# Smaller Faster Smarter

#### Faster heat with all-new design

Both its compact size and top discharge design deliver dramatically faster heating. LC Series convectors move a concentrated heat flow into your room **40% faster** than conventional baseboards.

# Real comfort through reduced heat loss

A revolutionary element design generates rapid heat flow to **reduce heat loss into the wall by 10%**. The new shark-fin element quickly guides heat out of the heater to maximize room heating rather than warming the heater itself.



Quick comfort via rapid airflow





### LC Series Ordering Guide

Cat. No.	Watts	Volts	Length in./mm
LC2005W11	500	120	20/508
LC2005W21	500	208	20/508
LC2005W31	500/375	240/208	20/508
LC2005W51	500	347	20/508
LC2507W11	750	120	25/635
LC2507W21	750	208	25/635
LC2507W31	750/563	240/208	25/635
LC2507W51	750	347	25/635
LC3010W11	1000	120	30/762
LC3010W21	1000	208	30/762
LC3010W31	1000/750	240/208	30/762
LC3010W51	1000	347	30/762
LC3512W11	1250	120	35/889

Cat. No.	Watts	Volts	Length in./mm
LC3512W21	1250	208	35/889
LC3512W31	1250/938	240/208	35/889
LC3512W51	1250	347	35/889
LC4015W11	1500	120	40/1016
LC4015W21	1500	208	40/1016
LC4015W31	1500/1125	240/208	40/1016
LC4015W51	1500	347	40/1016
LC5020W21	2000	208	50/1270
LC5020W31	2000/1500	240/208	50/1270
LC5020W51	2000	347	50/1270
LC6025W21	2500	208	60/1524
LC6025W31	2500/1875	240/208	60/1524
LC6025W51	2500	347	60/1524

Cat. No.	Description	Rating
DTK-SP	Single pole built-in thermostat kit	120-240V, 17A 347V, 14A
DTK-DP	Double pole built-in thermostat	120-240V, 17A 347V, 11A
DTKT-SP	Double pole built-in tamperproof thermostat kit	120-240V, 17A 347V, 11A
DTKT-DP	Single pole built-in tamperproof thermostat kit	120-240V, 25A 347V, 11A

Note: 1. Standard color is white.

2. To order almond, omit "W" in Cat. No.



Dimplex is committed to better solutions through innovation, quality and customer service. New product development has long been a hallmark of Dimplex North America, with over 30 patents in electric heating innovation and others pending including three for the LC/LPC Series. All product research and development, as well as manufacturing of the new LC and LPC Series, is based in Canada.

Authorized Dimplex Distributor



Dimplex North America Limited 1367 Industrial Road Cambridge ON N1R 7G8 1-800-668-6663 www.dimplexheating.com